



SILANOS
Clean efficiency

Commercial dishwasher catalogue

2026



Clean efficiency. Made in Italy



Clean efficiency,
built to last.

Ristorante Berton, Milan
Fine dining efficiency with
Silanos dishwashing solutions.

Content

The Company.....	1
Our Ranges	2
Glasswashers	3
Undercounter	9
Hood-Type.....	13
Potwashers	19
TC Rack Conveyors	23

The company

Made in Italy, made for the world

Today, Silanos designs and manufactures every machine in its facility in Pioltello, Milan, a plant that proudly carries the legacy of its founders while embracing new technologies and sustainable practices.

Every year, more than 35,000 dishwashers and accessories leave the Silanos factory to serve kitchens around the globe, from local cafés to Michelin-starred restaurants, from boutique hotels to large-scale commercial operations.

And while the technology has evolved, the heart of every machine remains the same: Italian expertise, human care, and generations of know-how. Grounded in a commitment to authenticity, fairness, and ethical behavior in everything we do.

A family company with a global vision

Silanos has expanded its reach across more than 25 countries, building trusted partnerships with distributors, OEM customers and hospitality professionals. In recent years, the company has embraced new partnerships, such as its strategic alliance with Swedish investment group Sandberg Development.

Yet even with global ties, Silanos remains proudly Italian, a family-run company with deep local roots and a strong belief in personal relationships.



Our ranges

Clean efficiency, built to last.

At Silanos, we design and manufacture professional dishwashers with a clear goal: to provide every kitchen with efficient, safe, and 100% Made in Italy solutions. Our products are the result of over sixty years of experience and a constant focus on the real needs of the hospitality industry. Every Silanos machine is built to deliver impeccable results, day after day: maximum hygiene, reduced consumption, robust construction, and ease of use.

Our **products** are designed to meet every requirement—from small venues to large professional kitchens, from daily operations to high-intensity challenges. Efficient, reliable, and built to last, Silanos dishwashers turn washing into a fast, safe, and sustainable process.



Glasswashers

Naturally Compact. Professionally Powerful.

In the world of bars, cafés and fast-paced hospitality, performance is everything. Speed, flawless hygiene, reliability and quiet operation are essential to ensure seamless daily service.

The **Silanos professional glasswasher range** has been engineered to meet these demands with compact, robust and technologically advanced solutions, designed to optimize space without compromising performance.




Exclusive EG35-40 wash pump integrated into the tank bottom

A smart technical solution that optimizes internal space, improves hydraulic efficiency and simplifies maintenance.



Double-wall doors

For enhanced strength, improved insulation and superior operator comfort. All models are equipped as standard with a drain pump and detergent dispenser.



Double protection filtering system

Designed to protect the wash pump and ensure maximum reliability even under intensive use.



Stainless steel wash arms

Long-lasting, durable and fully eco-sustainable — guaranteeing consistent washing performance while reducing plastic components.



Maximum Compactness Maximum Efficiency

Optimized dimensions make these machines perfect for undercounter installations and space-constrained environments, without compromising washing capacity or performance.

Every detail is designed to ensure ergonomics, ease of use and professional reliability — the true Silanos standard.

A Complete Range for Every Need

From the ultra-compact EG35, ideal for limited spaces, to the higher-capacity OG50 featuring a double-wall structure for superior thermal and acoustic insulation, each model is designed to deliver durability and consistent results over time.



EG35



EG40





OG50



EG35

Single-skinned cabinet with electromechanical control panel, basket 350×350 mm.



EG35 - 32012



PRODUCT OVERVIEW

Standard Features

- User-friendly **mechanical control panel**, built to last.
- **Double-skinned door** for greater efficiency.
- Full AISI 304 **stainless steel wash tank** for maximum hygiene and durability.
- Powerful stainless steel lower wash arm and independent rotating polymer rinse arms for outstanding cleaning results.
- **Exclusive wash pump** mounted directly at the bottom of the tank, combined with an efficient double filtration system inside the tank.
- Peristaltic **rinse aid dosing**.
- Automatic **detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.

EG40

Single-skinned cabinet with digital control panel, basket 400x400 mm.



EG40 - 32009

PRODUCT OVERVIEW

Standard Features

- **Digit3 control panel** –with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- **Double-skinned door** for greater efficiency.
- Full AISI 304 **stainless steel wash tank** for maximum hygiene and durability.
- Powerful stainless steel lower wash arm and independent rotating polymer rinse arms for outstanding cleaning results.
- **Exclusive wash pump** mounted directly at the bottom of the tank, combined with an efficient double filtration system inside the tank.
- Peristaltic **rinse aid dosing**.
- **Automatic detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.

EG40 - 32023


PRODUCT OVERVIEW

Standard Features

- **Digit3 control panel** –with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- **Double-skinned door** for greater efficiency.
- Full AISI 304 **stainless steel wash tank** for maximum hygiene and durability.
- Powerful stainless steel lower wash arm and independent rotating polymer rinse arms for outstanding cleaning results.
- **Exclusive wash pump** mounted directly at the bottom of the tank, combined with an efficient double filtration system inside the tank.
- Peristaltic **rinse aid dosing**.
- **Automatic detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.
- **Integrated watersoftener (WS)** protects machine components, improves detergent efficiency, and ensures spotless dishes and glasses.

OG50

Double-skinned cabinet with digital control panel, basket 500×500 mm.




OG50 - 32024

PRODUCT OVERVIEW

Standard Features

- **Digit3 control panel** –with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- **Double-skinned cabinet and door** for greater efficiency..
- Full AISI 304 **stainless steel wash tank** for maximum hygiene and durability.
- **Deep-drawn basket holder** rails with rounded corners
- **Powerful stainless steel lower and upper wash and rinse arms** independent rotating for outstanding cleaning results.
- Peristaltic **rinse aid dosing**.
- Automatic **detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.



OG50 - 32025

PRODUCT OVERVIEW

Standard Features

- **Digit3 control panel** – with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- **Double-skinned cabinet and door** for greater efficiency..
- Full AISI 304 **stainless steel wash tank** for maximum hygiene and durability.
- **Deep-drawn basket holder** rails with rounded corners
- **Powerful stainless steel lower and upper wash and rinse arms** independent rotating for outstanding cleaning results.
- Peristaltic **rinse aid dosing**.
- Automatic **detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.
- **Integrated watersoftener (WS)** protects machine components, improves detergent efficiency, and ensures spotless dishes and glasses.



Undercounter Dishwashers

Compact Design. Outstanding Performance.

The **ED50 single-wall** and **OD50 double-wall** undercounter dishwashers deliver superior washing performance with optimized energy consumption and total reliability. Easy to operate yet technologically advanced thanks to the Digit3 electronic control system, these machines combine simplicity and innovation. A wide range of functions makes them the ideal solution for hospitality professionals seeking flexibility and efficiency in daily operations.



Double-wall doors

Improved thermal and acoustic insulation for enhanced operator comfort.



Stainless steel wash arms

Durable, long-lasting and fully eco-sustainable, ensuring consistent performance over time while reducing plastic components.



Wash tank entirely manufactured in AISI 304 stainless steel

Maximum hygiene, corrosion resistance and long-term durability.



Detergent dispenser and drain pump included as standard

Ready-to-use configuration for immediate professional installation.



Digital control panel with display and 4 wash cycles

Simple, intuitive and precise, allowing operators to select the most suitable cycle for every need.



Independent rotating wash and rinse arms

Stamped stainless steel arms guarantee superior washing and rinsing performance thanks to mixed-angle nozzles.



Compact footprint

Designed to optimize installation space without compromising capacity.




The Product Range



ED50




OD50



ED50

Single-skinned cabinet with digital control panel, basket 500×500 mm.




ED50 - 32005

PRODUCT OVERVIEW

■ Standard Features

- **Digit3 control panel** – with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- **Double-skinned door** for greater efficiency.
- Full AISI 304 **stainless steel wash tank** for maximum hygiene and durability.
- **Powerful stainless steel lower and upper wash arms** and independent rotating polymer rinse arms for outstanding cleaning results.
- **Peristaltic rinse aid dosing.**
- Automatic **detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.



ED50 - 32004

PRODUCT OVERVIEW

■ Standard Features

- **Digit3 control panel** – with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- **Double-skinned door** for greater efficiency.
- Full AISI 304 **stainless steel wash tank** for maximum hygiene and durability.
- **Powerful stainless steel lower and upper wash arms** and independent rotating polymer rinse arms for outstanding cleaning results.
- **Peristaltic rinse aid dosing.**
- Automatic **detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.
- **Break tank and rinse booster pump (BT)** isolate the machine from the mains water supply to ensure compliance with hygiene standards, while increasing rinse water pressure to guarantee a uniform and consistent rinse.



ED50 - 32015


PRODUCT OVERVIEW

■ Standard Features

- **Digit3 control panel** – with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- **Double-skinned door** for greater efficiency.
- Full AISI 304 **stainless steel wash tank** for maximum hygiene and durability.
- **Powerful stainless steel lower and upper wash arms** and independent rotating polymer rinse arms for outstanding cleaning results.
- **Peristaltic rinse aid dosing.**
- Automatic **detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.
- **Break tank and rinse booster pump (BT)** isolate the machine from the mains water supply to ensure compliance with hygiene standards, while increasing rinse water pressure to guarantee a uniform and consistent rinse.
- Integrated **watersoftener (WS)** protects machine components, improves detergent efficiency, and ensures spotless dishes and glasses.

OD50

Double-skinned cabinet with digital control panel, basket 500×500 mm.




OD50 - 32020

PRODUCT OVERVIEW

■ Standard Features

- **Digit3 control panel** – with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- **Double-skinned cabinet and door** for greater efficiency.
- Full AISI 304 stainless steel wash tank for maximum hygiene and durability.
- Deep-drawn basket holder rails with rounded corners
- **Powerful stainless steel lower and upper wash and rinse arms** independent rotating for outstanding cleaning results.
- **Peristaltic rinse aid dosing.**
- Automatic **detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.
- **Break tank and rinse booster pump (BT)** isolate the machine from the mains water supply to ensure compliance with hygiene standards, while increasing rinse water pressure to guarantee a uniform and consistent rinse.



OD50 - 32026

PRODUCT OVERVIEW

■ Standard Features

- **Digit3 control panel** – with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- **Double-skinned cabinet and door** for greater efficiency.
- Full AISI 304 stainless steel wash tank for maximum hygiene and durability.
- Deep-drawn basket holder rails with rounded corners
- **Powerful stainless steel lower and upper wash and rinse arms** independent rotating for outstanding cleaning results.
- **Peristaltic rinse aid dosing.**
- Automatic **detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.
- **Break tank and rinse booster pump (BT)** isolate the machine from the mains water supply to ensure compliance with hygiene standards, while increasing rinse water pressure to guarantee a uniform and consistent rinse.
- Integrated **watersoftener (WS)** protects machine components, improves detergent efficiency, and ensures spotless dishes and glasses.

Hood-Type Dishwashers

Power, Efficiency and Total Operational Reliability.

Designed for medium and high-volume kitchens, the Silanos **hood-type dishwashers** combine structural strength, advanced engineering and operational efficiency to ensure consistent washing results throughout the busiest service hours.

Available in **single-unit** and **double-unit configurations**, and in both **single-wall** and **double-wall versions**, the range offers maximum flexibility to adapt to different installation requirements and performance expectations.



Deep-drawn tanks with rounded corners

Maximum hygiene and easier cleaning, preventing dirt accumulation.



Self-draining wash pumps

Designed to enhance hygiene, prevent stagnation and increase component longevity.



Sloped tank bottom towards the filter area

Optimized drainage and improved dirt collection efficiency.



Built-in detergent dispenser and drain pump (standard)

Fully equipped for professional installation and immediate operation.



The Product Range



EH50



OH50





SHD50



EH50

Single-skinned cabinet with digital control panel, basket 500×500 mm.



EH50 - 32006

PRODUCT OVERVIEW

Standard Features

- **Digit3 control panel** – with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- 20-liter **molded deep-drawn tank** with rounded corners and a sloped bottom for easy drainage towards the filters.
- Efficient **double filtration** system for cleaner wash water and superior results.
- **Powerful stainless steel lower and upper wash and rinse arms** independent rotating for outstanding cleaning results.
- Peristaltic **rinse aid dosing**.
- 0,52 kW **self-draining wash pump** for maximum hygiene and safety.
- Automatic **detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.
- **Break tank and rinse booster pump (BT)** isolate the machine from the mains water supply to ensure compliance with hygiene standards, while increasing rinse water pressure to guarantee a uniform and consistent rinse.
- Boosted **10 kW boiler** to ensure optimal performance even with cold water inlet.

EH50 - 32016

PRODUCT OVERVIEW

Standard Features

- **Digit3 control panel** – with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- 20-liter **molded deep-drawn tank** with rounded corners and a sloped bottom for easy drainage towards the filters.
- Efficient **double filtration** system for cleaner wash water and superior results.
- **Powerful stainless steel lower and upper wash and rinse arms** independent rotating for outstanding cleaning results.
- Peristaltic **rinse aid dosing**.
- 0,52 kW **self-draining wash pump** for maximum hygiene and safety.
- Automatic **detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.
- **Break tank and rinse booster pump (BT)** isolate the machine from the mains water supply to ensure compliance with hygiene standards, while increasing rinse water pressure to guarantee a uniform and consistent rinse.
- Boosted **10 kW boiler** to ensure optimal performance even with cold water inlet.
- Integrated **watersoftener (WS)** protects machine components, improves detergent efficiency, and ensures spotless dishes and glasses.

EH50 - 32003



PRODUCT OVERVIEW

Standard Features

- **Digit3 control panel** – with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- 20-liter **molded deep-drawn tank** with rounded corners and a sloped bottom for easy drainage towards the filters.
- Efficient **double filtration** system for cleaner wash water and superior results.
- **Powerful stainless steel lower and upper wash and rinse arms** independent rotating for outstanding cleaning results.
- Peristaltic **rinse aid dosing**.
- 0,52 kW **self-draining wash pump** for maximum hygiene and safety.
- Automatic **detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.

OH50

Double-skinned cabinet with digital control panel, basket 500×500 mm.



OH50 - 32027

PRODUCT OVERVIEW

Standard Features

- **Digit3 control panel** – with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- **Double-skinned cabinet** for greater efficiency.
- 30-liter **molded deep-drawn tank** with rounded corners and a sloped bottom for easy drainage towards the filters.
- Efficient **double filtration system** for cleaner wash water and superior results.
- Exclusive **Superwash washing impellers**, upper and lower, made of stainless steel, and independent rinsing impellers in polymer, ensuring superior washing results.
- Peristaltic **rinse aid dosing**.
- 0.52 kW **self-draining wash pump** for maximum hygiene and safety.
- Automatic **detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.
- **Break tank and rinse booster pump (BT)** isolate the machine from the mains water supply to ensure compliance with hygiene standards, while increasing rinse water pressure to guarantee a uniform and consistent rinse.
- Boosted **10 kW boiler** to ensure optimal performance even with cold water inlet.

OH50 - 32028


PRODUCT OVERVIEW

Standard Features

- **Digit3 control panel** – with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- **Double-skinned cabinet** for greater efficiency.
- 30-liter **molded deep-drawn tank** with rounded corners and a sloped bottom for easy drainage towards the filters.
- Efficient **double filtration system** for cleaner wash water and superior results.
- Exclusive **Superwash washing impellers**, upper and lower, made of stainless steel, and independent rinsing impellers in polymer, ensuring superior washing results.
- Peristaltic **rinse aid dosing**.
- 0.52 kW **self-draining wash pump** for maximum hygiene and safety.
- Automatic **detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.
- **Break tank and rinse booster pump (BT)** isolate the machine from the mains water supply to ensure compliance with hygiene standards, while increasing rinse water pressure to guarantee a uniform and consistent rinse.
- Boosted **10 kW boiler** to ensure optimal performance even with cold water inlet.
- Integrated **watersoftener (WS)** protects machine components, improves detergent efficiency, and ensures spotless dishes and glasses.

SHD50

Double-skinned cabinet
with LCD control panel,
basket 500×500 mm.



SHD50 - 32010

PRODUCT OVERVIEW

Standard Features

- **Digit3 control panel** – with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- **Large wash tank** with a sloped bottom for easy drainage towards the filters.
- Efficient **double filtration system** for cleaner wash water and superior results.
- **Exclusive Superwash washing impellers**, upper and lower, made of stainless steel, and independent rinsing impellers in stainless steel, ensuring superior washing results.
- Peristaltic **rinse aid dosing**.
- Automatic **detergent dosing (DD)** ensures consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump (DP)** ensures complete drainage, preventing residues and maintaining hygiene standards.
- **Break tank and rinse booster pump (BT)** isolate the machine from the mains water supply to ensure compliance with hygiene standards, while increasing rinse water pressure to guarantee a uniform and consistent rinse.



Potwashers

Power and Reliability for Professional Kitchens.

Silanos pot and utensil washers combine power, durability, and versatility in one solution. Built with an exceptionally robust structure, they are the ideal choice for intensive cleaning of pots, pans, trays, utensils, baskets, and containers of all sizes. With Silanos, every wash cycle delivers impeccable results, reducing operating times and optimizing efficiency in the kitchen.

The reliability of our professional machines makes them the perfect choice for those who demand high performance and long-lasting quality.



4-arm washing impellers with supplementary side wash arms



Automatic detergent and rinse aid dosing



Break tank and rinse booster pump (BT) isolate the machine from the mains water supply to ensure compliance with hygiene standards



Drain pump ensures complete drainage




The Product Range



LP67




LP115



P67

Double-skinned cabinet
with LCD control panel,
basket 665x665 mm.



P67 - 32029


PRODUCT OVERVIEW

Standard Features

- **Digit3 control panel** – with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- **Molded deep-drawn tank** with rounded corners and a sloped bottom for easy drainage towards the filters.
- Efficient **double filtration system** for cleaner wash water and superior results.
- Powerful **4-arm washing impellers**, upper and lower, and independent rinsing impellers in stainless steel, ensuring impeccable washing results.
- Supplementary **side wash arms** for enhanced cleaning coverage.
- **Break tank and rinse booster pump (BT)** isolate the machine from the mains water supply to ensure compliance with hygiene standards, while increasing rinse water pressure to guarantee a uniform and consistent rinse.
- Powerful **self-draining wash pump** and high-capacity rinse booster pump.
- **Automatic detergent and rinse aid dosing** ensure consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump** ensures complete drainage, preventing residues and maintaining hygiene standards.

P115

Double-skinned cabinet
with LCD control panel,
basket 615x1150 mm.



P115 - 32011

PRODUCT OVERVIEW

Standard Features

- **Digit3 control panel** – with extended functionalities and 4 dedicated wash cycles for maximum flexibility.
- **Molded deep-drawn tank** with rounded corners and a sloped bottom for easy drainage towards the filters.
- Efficient **double filtration system** for cleaner wash water and superior results.
- Powerful **4-arm washing impellers**, upper and lower, and independent rinsing impellers in stainless steel, ensuring impeccable washing results.
- Supplementary **side wash arms** for enhanced cleaning coverage.
- **Break tank and rinse booster pump (BT)** isolate the machine from the mains water supply to ensure compliance with hygiene standards, while increasing rinse water pressure to guarantee a uniform and consistent rinse.
- Powerful **self-draining wash pump** and high-capacity rinse booster pump.
- **Automatic detergent and rinse aid dosing** ensure consistency, optimizes cleaning results, and prevents manual errors.
- **Drain pump** ensures complete drainage, preventing residues and maintaining hygiene standards.

Rack Conveyors

Compact Design. Outstanding Productivity.



The Silanos TC rack conveyor dishwasher range has been designed to deliver powerful washing performance, high productivity, and maximum flexibility. Available in both linear and corner configurations, it seamlessly adapts to different operational needs and diverse space requirements. Compact yet highly efficient, it strikes the ideal balance between productivity and footprint.



Balanced inspection
doors



Break tank with
rinse booster pump



Stainless steel filters
covering the entire surface
of the tank



Molded deep-drawn tank
with rounded corners

Engineered for Intensive Professional Use

Manufactured entirely in our facilities, the Silanos TC range stands out for outstanding energy and water efficiency, ease of use and maintenance, specifically designed to simplify daily operations. A professional solution that combines quality, innovation, and reliability, meeting the most modern demands of the foodservice industry.



TC100




TC150



TC100

Wash and rinse modular rack conveyor dishwashers.



TC100

PRODUCT OVERVIEW

Standard Features

- **Wash and rinse zones.**
- **Stainless steel washing collectors** with anti-drip jets molded in negative and a central guiding system with stainless steel rollers, which allow for precise and effective action.
- **Molded deep-drawn tank** with rounded corners and a sloped bottom for easy drainage towards the filters.
- **Stainless steel filters** covering the entire surface of the tank, a flat filter with a double basket, and a safety filter on the suction, ensuring maximum hygiene.
- **Balanced inspection doors** with return springs and smooth wall systems that prevent residue buildup, double-walled doors that provide good insulation, reducing energy loss and noise.
- **Economizer**, a lever switch at the input of the rinse module, enabling activation only when the basket is loaded.
- **Break tank with rinse booster pump**

TC150

Prewash, wash and rinse modular rack conveyor dishwashers.



TC150

PRODUCT OVERVIEW

Standard Features

- **Prewash, wash and rinse zones.**
- **Stainless steel washing collectors** with anti-drip jets molded in negative and a central guiding system with stainless steel rollers, which allow for precise and effective action.
- **Molded deep-drawn tank** with rounded corners and a sloped bottom for easy drainage towards the filters.
- **Stainless steel filters** covering the entire surface of the tank, a flat filter with a double basket, and a safety filter on the suction, ensuring maximum hygiene.
- **Balanced inspection doors** with return springs and smooth wall systems that prevent residue buildup, double-walled doors that provide good insulation, reducing energy loss and noise.
- **Economizer**, a lever switch at the input of the rinse module, enabling activation only when the basket is loaded.
- **Break tank with rinse booster pump**

Optional

- **Steam condenser and CRV heat recovery** unit for energy
- **Dryer 6kW**
- **Dryer 9kW**
- **Dryer 12kW**
- **Corner dryer 9kW**
- **Supplementary boiler 14kW**
- **90° prewash module**
- **Double rinse** module
- **Drain Pump**
- **Detergent Dosing**
- **Rinse aid Dosing**

TECHNICAL SPECIFICATIONS

Type	Glass 350	Glass 400		Glass 500		UC 500				
Model	EG35	E40	E40	OG50	OG50	ED50	ED50	ED50	OD50	OD50
Article code ND	32012	32009	32023	32024	32025	32005	32004	32015	32020	32026
Specification										
Drainpump	yes	yes	yes	yes	yes	Yes	Yes	Yes	yes	yes
Dosing	yes	yes	yes	yes	yes	Yes	Yes	Yes	yes	yes
Softener	no	no	yes	No	Yes	No	No	Yes	No	Yes
Break Tank	No	No	No	No	No	No	Yes	Yes	Yes	Yes
Body Construction	single	single	single	double	double	single	single	single	double	double
Wash tank heater kW	1,6	1,6	1,6	1,6	1,6	2,5	2,5	2,5	2,5	2,5
Boiler kW	2,8	2,8	2,8	2,8	2,8	4,5	4,5	4,5	4,5	4,5
Wash arm	SS	SS	SS	SS	SS	SS	SS	SS	SS	SS
Rinse arm	plastic	plastic	plastic	SS	SS	Plastic	Plastic	Plastic	SS	SS
Wash pump kW	0,17	0,17	0,17	0,37	0,37	0,4	0,4	0,4	0,4	0,4
Rinse pump kW	-	-	-	-	-	-	0,18	0,18	0,18	0,18
Washtank volume l.	11	12	12	20	20	23	23	23	23	23
Connected load kW	2,97	2,97	2,97	3,17	3,17	4,9	4,9	4,9	4,9	4,9
Voltage V	230/1	230/1	230/1	230/1	230/1	400/3	400/3	400/3	400/3	400/3
Fuse A	16	16	16	16	16	16	16	16	16	16

Type	HoodType						Pot		Rack Conveyors	
Model	EH50	EH50	EH50	OH50	OH50	SHD50	P67	P115	TC100	TC150
Article code ND	32003	32006	32016	32027	32028	32010	32029	32011	Configured products	
Specification										
Drainpump	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Dosing	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
Softener	No	No	Yes	No	Yes	No	No	No	No	No
Break Tank	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Body Construction	single	single	single	double	double	double	double	double	double	double
Wash tank heater kW	3	3	3	3	3	7,5	8	8	14	14
Boiler kW	6	10	10	10	10	18	9	12	14	14
Wash arm	SS	SS	SS	SuperW	SuperW	SuperW	SS 4-arms	SS 4-arms	SS	SS
Rinse arm	SS	SS	SS	SS	SS	SuperR	SS nozzle	SS nozzle	SS nozzle	SS nozzle
Wash pump kW	0,52	0,52	0,52	0,52	0,52	0,52x2	3,2	2x2	2	2
Rinse pump kW	0,18	0,18	0,18	0,18	0,18	0,18x2	0,55	0,55	0,18	0,18
Washtank volume l.	20	20	20	30	30	60	55	96	80	80
Connected load kW	6,52	10,52	10,52	10,52	10,52	19,04	12,2	16	30,43	31,53
Voltage V	400/3	400/3	400/3	400/3	400/3	400/3	400/3	400/3	400/3	400/3
Fuse A	16	16	16	16	16	32	20	25	50	50





Certified quality

Certified quality means not only a perfect washing result, but above all the guarantee of safety for every product in all respects: mechanical and electrical safety, non-toxicity, and non-flammability, in accordance with European laws and directives.



Contacts

Nordisk Clean Solutions AB
Jägershillgatan 13
SE-213 75 Malmö, Sweden
info@nordiskclean.com

Ready to create efficient solutions?



SILANOS
Clean efficiency